P30190

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : N. STEINRISSER Certificate of Correction Branch

Patent No. : 7,874,760 Issued: January 25, 2011

Appln. No. : 10/598,011 Filed: August 15, 2006

For : TOOTH PROFILE OF A SPLINE SHAFT

## REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window, Mail Stop Certificate of Correction Branch
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following error appearing in the printed patent, which is apparently the fault of the U.S. Patent and Trademark Office. Thus, no fee is required to be paid to correct this error.

On Cover page (56) Ref. Cited, U.S. Patent Documents (Column 2, line 2) of the printed patent, please change "Grove" to --Groves--. This appeared correctly on the Information Disclosure Statement filed November 5, 2007.

Therefore, it is respectfully requested that a Certificate of Correction issue in the aboveidentified patent as follows:

On Cover page (56) Ref. Cited, U.S. Patent Documents (Column 2, line 2) of the printed

1

(P30190 01139281.DOC)

patent, please change "Grove" to --Groves --.

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully submitted

Neil F. Greenblum Reg. No. 28,394

Robert W. Mueller Reg. No. 35,043

GREENBLUM & BERNSTEIN, P.L.C. 1950 Roland Clarke Place Reston, VA 20191 (703) 716-1191 Approved for use through 05/31/2007. OMB 0653-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE.
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless at Edapsya a valid
OMB control number.
(Also Form PTC-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO.: 7,874,760

APPLICATION NO.: 10/598,011
ISSUE DATE: January 25, 2011

INVENTOR(S): N. STEINRISSER

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On cover page (56) References Cited, U. S. Patent Documents, (Column 2, line 2) of the printed patent, please change "Grove" to --Groves--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C. 1950 Roland Clarke Place Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to life unday by the USPTO to process) an application. Confidentially is governed by 38 U.S.C. 122 and 37 CFR 1.1. This collection is estimated to take 1.0 hour to complete, including pathering, preparing, and multiply the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the control of the USPTO of the USP

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.